

CAROLINA SIM WORKS



M1 Seat Mount

M1 Sim Chassis Assembly Instructions

Tools Needed: M8 Allen Wrench, 13MM Adjustable Wrench.

1. Unwrap all components from the seat slide box.



2. Attach Sliders to Seat Rails

Parts: (2) Seat sliders, handle



Insert (2) T-Nuts in 15/15 Seat Rails. Use (2) **M8x12** to attach seat slider. You may have to slide up and back to expose the holes to insert the SHCS.

Repeat on other side.


Attach the handle to the interior of the seat sliders. Handle

should point slightly up to make it easy to grab from the seated position. You may need to bend the handle to the width of your seat to assure a snug fit.



3. Attach Seat Mounts to Sliders Uprights

Parts: Left Seat Mount



Right Seat Mount



Place Seat mount on top of seat slider with slotted holes toward the front. Use (2) **8Mx16 SHCS** (inserted up from the slider) and (2) **M8 Nuts on Top** to attach the seat Mount.

Repeat on other side.



M1 Sim Chassis Assembly Instructions

4. Attach your seat to the seat mounts.

Parts: (1) racing seat.

Use (4) M8x25 and (4) washers to attach racing seat to seat mounts.

5. Attach all your components, wire it up, configure to your specifications and Enjoy your M1 Sim Rig!

Questions??? Angela@carolinasimworks.com
ENJOY!

